





- AIDS Project Los Angeles. (1993) Statistics and conclusions from Southern California HIV/AIDS hotline, third quarter. AIDS Project Los Angeles, Los Angeles.
- Anderson JE, Cheney R, Clatts M, et al. (1996) HIV risk behavior, street outreach, and condom use in eight high-risk populations. *AIDS Educ Prev* 8(3):191-204.
- Anonymous. (1999) The poppers-HIV connection. *Focus* 14(4):5-6.
- Apanovitch AM, McCarthy D, Salovey P. (2003) Using message framing to motivate HIV testing among low-income, ethnic minority women. *Health Psychol* 22(1):60-67.
- Associated Press. (2002) 'Crazy drug' getting into U.S. - "Ya Ba". <http://thepointprogram.com/forums/Parenting/posts/49.html>
- Baldwin JA, Trotter RT, Martinez D, et al. (1999) HIV/AIDS risks among Native American drug users: Key findings from focus group interviews and implications for intervention strategies. *AIDS Educ Prev* 11(4):279-292.
- Baldwin JA, Maxwell CJ, Fenaughty AM, et al. (2000) Alcohol as a risk factor for HIV transmission among American Indian and Alaska Native drug users. *Am Indian Alsk Native Ment Health Res* 9(1):1-16.
- Bamberger JD, Waldo CR, Gerberding JL, et al. (1999) Postexposure prophylaxis for human immunodeficiency virus (HIV) infection following sexual assault. *Am J Med* 106(3):323-326.
- Bamberger JD, Unick J, Klein P, et al. (2000) Helping the urban poor stay with antiretroviral HIV drug therapy. *Am J Public Health* 90(5):699-701.
- Baranowski T, Perry CL, Parcel GS. (1997) How individuals, environments, and health behavior interact: Social cognitive theory. In Glanz K, Lewis FM, Rimer B (Eds.): *Health Behavior and Health Education: Theory Research and Practice*, pp. 153-178. Jossey-Bass, San Francisco.
- Bauer HM, Gibson P, Hernandez M, et al. (2002) Intimate partner violence and high-risk sexual behaviors among female patients with sexually transmitted diseases. *Sex Transm Dis* 29(7):411-416.
- Beckmann KR, Melzer-Lange MD, Cuene B, et al. (2002) The effectiveness of a follow-up program at improving HIV testing in a pediatric emergency department. *Wisconsin Med J* 101(8):30-34.
- Better World Advertising. (2002) *HIV Stops With Me: Year Three Evaluation Results* [report]. Available from the HIV Prevention Section, San Francisco, CA.
- Bingham T, McFarland W, Shehan D, et al. (2002) Unrecognized HIV infection, risk behaviors, and perceptions of risk among young black men who have sex with men: Six US cities, 1994-1998. *MMWR Morb Mortal Wkly Rep* 51(33):733-736.
- Binson D, Woods WJ, Polack L, et al. (2001) Differential HIV risk in bathhouses and public cruising areas. *Am J Public Health* 91(9):1482-1486.
- Birkel RC, Golaszewski T, Koman JJ, et al. (1993) Findings from the Horizontes Acquired Immune Deficiency Syndrome Education Project: The impact of indigenous outreach workers as change agents for injection drug users. *Health Educ Q* 20(4):523-538.
- Bluthenthal RN, Kral AH, Gee L, et al. (2001) Trends in HIV seroprevalence and risk among gay and bisexual men who inject drugs in San Francisco, 1988 to 2000. *J Acquir Immune Defic Syndr* 28(3):264-269.
- Bockting WO, Robinson BE, Rosser BR. (1998) Transgender HIV prevention: A qualitative needs assessment. *AIDS Care* 10(4):505-525.
- Boles J, Elifson KW. (1994) The social organization of transvestite prostitution and AIDS. *Soc Sci Med* 39(1):85-93.
- Branson BM, Peterman TA, Cannon RO, et al. (1998) Group counseling to prevent sexually transmitted disease and HIV: A randomized controlled trial. *Sex Transm Dis* 25(10):553-560.
- Brette R.P. (1991) HIV and harm reduction for injection drug users. *AIDS* 5(2):125-136.
- Brown E, Ponce N, Rice T, et al. (2002) The State of Health Insurance in California: Findings from the 2001 California Health Interview Survey. UCLA Center for Health Policy Research, Los Angeles. <http://www.healthpolicy.ucla.edu/pubs/publication.asp?pubID=28>
- Buchanan D, Shaw S, Teng W, et al. (2003) Neighborhood differences in patterns of syringe access, use, and discard among injection drug users: Implications for HIV outreach and prevention education. *J Urban Health* 80(3):438-454.
- Bueling D, Hoff C, Coates TJ. (1995) Speak to your brothers: A community level HIV prevention model for gay and bisexual men in the 90s. Presented at the 17th National Lesbian and Gay Health Conference, Minneapolis, MN.
- Bull SS, McFarlane M. (2000) Soliciting sex on the Internet: What are the risks for sexually transmitted diseases and HIV? *Sex Transm Dis* 27(9):545-550.

- Bull SS, McFarlane M, King D. (2001) Barriers to STD/HIV prevention on the Internet. *Health Educ Res* 16(6):661-670.
- Caetano R, Hines AM. (1995) Alcohol, sexual practices, and risk of AIDS among blacks, Hispanics, and whites. *J Acquir Immune Defic Syndr Hum Retrovirol* 10(5):554-561.
- Campsmith ML, Nakashima AK, Jones JL. (2000) Association between crack cocaine use and high-risk sexual behaviors after HIV diagnosis. *J Acquir Immune Defic Syndr* 25(2):192-198.
- CAPS. CAPS facts sheets. UCSF Center for AIDS Prevention Studies, San Francisco, CA. <http://www.caps.ucsf.edu/FSindex.html>
- Carballo-Diequez A, Remien R, Benson DA, et al. (2002) Intention to notify sexual partners about potential HIV exposure among New York City STD clinics' clients. *Sex Transm Dis* 29(8):465-471.
- Cardo DM, Culver DH, Ciesielski CA, et al. (1997) A case-control study of HIV seroconversion in health care workers after percutaneous exposure: Centers for Disease Control and Prevention Needlestick Surveillance Group. *N Engl J Med* 337(21):1485-1490.
- Carey MP, Braaten LS, Maisto SA, et al. (2000) Using information, motivational enhancement, and skills training to reduce the risk of HIV infection for low-income urban women: A second randomized clinical trial. *Health Psychol* 19(1):3-11.
- Catania JA, Kegeles SM, Coates TJ (1990) Towards an understanding of risk behavior: An AIDS risk reduction model (ARRM). *Health Educ Q* 17(1):53-72.
- Catania JA, Coates TJ, Stall R, et al. (1991) Changes in condom use among homosexual men in San Francisco. *Health Psychol* 10(3):190-199.
- Catania JA, Osmond D, Stall RD, et al. (2001) The continuing HIV epidemic among men who have sex with men. *Am J Public Health* 91(6):907-914.
- CDC. (2002a) Cases of HIV infection and AIDS in the United States, 2002. HIV/AIDS Surveillance Report, Vol.14. <http://www.cdc.gov/hiv/stats/hasr1402.htm>
- CDC. (2002b) Young people at risk: HIV/AIDS among America's youth. <http://www.cdc.gov/hiv/pubs/facts/youth.pdf>
- Celentano DD, Nelson KE, Lyles CM, et al. (1998) Decreasing incidence of HIV and sexually transmitted diseases in young Thai men: Evidence for success of the HIV/AIDS control and prevention program. *AIDS* 12(5):F29-F36.
- Charlebois E, Clark RA, Robertson MJ, et al. (2000) HIV seroprevalence among homeless and marginally housed adults in San Francisco. Presented at the San Francisco HIV Consensus Meeting, Emeryville, CA, May 15-16.
- Chen SY, Gibson S, Katz MH, et al. (2002) Continuing increases in sexual risk behavior and sexually transmitted diseases among men who have sex with men: San Francisco, Calif., 1999- 2001, USA. *Am J Public Health* 92(9):1387-1388.
- Chen SY, Weide D, McFarland W. (2003) Are the recent increases in sexual risk behavior among older or younger men who have sex with men? Answer: both. *AIDS* 17(6):942-943.
- Chesney MA, Barrett DC, Stall R. (1998) Histories of substance use and risk behavior: Precursors to HIV seroconversion in homosexual men. *Am J Public Health* 88(1):113-116.
- Choi K. (2003) High sexual risk but low HIV prevalence among Asian and Pacific Islander (API) men who have sex with men (MSM). Presented at the Annual CAPS Conference, San Francisco, CA, April.
- Choi KH, Coates TJ. (1994) Prevention of HIV infection. *AIDS* 8(10):1371-1389.
- Choi KH, Coates TJ, Catania JA, et al. (1995) High HIV risk among gay Asian and Pacific Islander men in San Francisco. *AIDS* 9(3):306-308.
- Choi KH, Lew S, Vittinghoff E, et al. (1996) The efficacy of brief group counseling in HIV risk reduction among homosexual Asian and Pacific Islander men. *AIDS* 10(1):81-87.
- Choi KH, Han CS, Hudes ES, et al. (2002) Unprotected sex and associated risk factors among young Asian and Pacific Islander men who have sex with men. *AIDS Educ Prev* 14(6):472-481.
- Choi KH, Operario D, Gregorich SE, et al. (2003) Age and race mixing patterns of sexual partnerships among Asian men who have sex with men: Implications for HIV transmission and prevention. *AIDS Educ Prev* 15(1 suppl A):53-65.
- Chu PL, McFarland W, Gibson S, et al. (2003) Viagra use in a community-recruited sample of men who have sex with men, San Francisco. *J Acquir Immune Defic Syndr* 33(2):191-193.
- Cicarone DH, Kanouse DE, Collins RL, et al. (2003) Sex without disclosure of positive HIV serostatus in a US probability sample of persons receiving medical care for HIV infection. *Am J Public Health* 93(6):949-954.

- Clements K, Gleghorn A, Garcia D, et al. (1997) A risk profile of street youth in Northern California: Implications for gender-specific human immunodeficiency virus prevention. *J Adolesc Health* 20(5):343-353.
- Clements K, Kitano K, Wilkinson W, et al. (1999) HIV prevention and health service needs of the transgender community in San Francisco. *Int J Transgenderism* 3(1+2).
- Clements-Nolle K, Marx R, Guzman R, et al. (2001) HIV prevalence, risk behaviors, health care use, and mental health status of transgender persons: Implications for public health intervention. *Am J Public Health* 91(6):915-921.
- Coan D, Schragger W, Packer T. (in press) The role of male sexual partners in HIV infection among male-to-female transgendered individuals. *Int J Transgenderism*.
- Coates TJ, Greenblatt R. (1990) Behavioral change using interventions at the community level. In Holmes KP, Mardh PF, Sparling, et al. (Eds.): *Sexually Transmitted Diseases*, pp. 1075-1080. McGraw-Hill, New York.
- Cohen DA, Farley TA, Bedimo-Etame JR, et al. (1999) Implementation of condom social marketing in Louisiana, 1993 to 1996. *Am J Public Health* 89(2):204-208.
- Cohen L, Swift S. (1999) The spectrum of prevention: Developing a comprehensive approach to injury prevention. *Inj Prev* 5(3):203-207.
- Colfax GN, Mansergh G, Guzman R, et al. (2001) Drug use and sexual risk behavior among gay and bisexual men who attend circuit parties: A venue-based comparison. *J Acquir Immune Defic Syndr* 28(4):373-379.
- Colfax GN, Buchbinder SP, Cornelisse PG, et al. (2002) Sexual risk behaviors and implications for secondary HIV transmission during and after HIV seroconversion. *AIDS* 16(11):1529-1535.
- Collins C, Morin SF, Shriver MD, et al. (2000) *Designing Primary Prevention for People Living with HIV*. Policy Monograph Series. AIDS Policy Research Center & Center for AIDS Prevention Studies, and the AIDS Research Institute, San Francisco, CA, March.
- Colon HM, Robles RR, Marrero CA, et al. (1996) Behavioral effects of receiving HIV test results among injecting drug users in Puerto Rico. *AIDS* 10(10):1163-1168.
- Conviser R, Murray M, Lau D (2000) Medicaid managed care reimbursement for HIV and its implications for access to care. *Am J Manag Care* 6(9):990-999.
- Copeland AL, Sorensen JL. (2001) Differences between methamphetamine users and cocaine users in treatment. *Drug Alcohol Depend* 62(1):91-95.
- Crepaz N, Marks G. (2003) Serostatus disclosure, sexual communication and safer sex in HIV-positive men. *AIDS Care* 15(3):379-387.
- Crosby G, Grofe M. (2001) Study of HIV sexual risk among disenfranchised African American MSM. In *Science to Community, Prevention #8*, a publication of UCSF CAPS and the AIDS Research Institute, San Francisco, CA, March.
<http://www.caps.ucsf.edu/capsweb/publications/TESS2C.pdf>
- Cummings GL, Battle R, Barker J, et al. (1997) HIV risk among low-income African American mothers of elementary school children. *J Health Soc Policy* 8(3):27-39.
- Cunningham WE, Hays RD, Williams KW, et al. (1995) Access to medical care and health-related quality of life for low-income persons with symptomatic human immunodeficiency virus. *Med Care* 33(7):739-754.
- Dausey DJ, Desai RA. (2003) Psychiatric comorbidity and the prevalence of HIV infection in a sample of patients in treatment for substance abuse. *J Nerv Ment Dis* 191(1):10-17.
- David Binder Research. (2003) Evaluation of the Black Brothers Esteem Social Marketing Campaign [report]. Available from the San Francisco AIDS Foundation, San Francisco, CA.
- Dawson C, Hartfield K. (1996) Developing a cost-effective media campaign addressing unprotected anal sex among gay men. *AIDS Educ Prev* 8(4):285-293.
- DeMayo M. (2003) Prevention with Positives: An Assessment of Agency Response in San Francisco [report]. Available from the HIV Prevention Section, San Francisco, CA.
- Denizet-Lewis B. (2003) Double lives on the down low. *New York Times Magazine*, August 3.
- Deren S, Efthimiou-Mordaunt A, Rhodes F, et al. (2002) Prevention of HIV among drug users. *Subst Use Misuse* 37(8-10):1215-1227.
- Des Jarlais D. (1995) HIV/AIDS Prevention for Injecting Drug Users: The Effectiveness of AIDS Prevention Efforts [report]. Prepared for OTA assessment. Available from the HIV Prevention Section, San Francisco, CA.

- Diamond C, Davidson A, Sorvillo F, et al. (2001) HIV-infected American Indians/Alaska natives in the Western United States. *Ethn Dis* 11(4):633-644.
- Díaz RM, Stall RD, Hoff C, et al. (1996) HIV risk among Latino gay men in the Southwestern United States. *AIDS Educ Prev* 8(5):415-429.
- Díaz RM, Morales E, Bein E, et al. (1999). Predictors of sexual risk in Latino gay/bisexual men: The role of demographic, developmental, social cognitive and behavioral variables. *Hispanic J Beh Sci* 21(4): 481-501.
- DiClemente RJ, Wingood GM. (1995) A randomized controlled trial of an HIV sexual risk-reduction intervention for young African-American women. *JAMA* 274(16):1271-1276.
- Dilley JW, Woods WJ, Sabatino J, et al. (2002) Changing sexual behavior among gay male repeat testers for HIV: A randomized, controlled trial of a single-session intervention. *J Acquir Immune Defic Syndr* 30(2):177-186.
- Dilley JW, Woods WJ, Sabatino J, et al. (2003) Availability of combination therapy for HIV: Effects on sexual risk taking in a sample of high-risk gay and bisexual men. *AIDS Care* 15(1):27-37.
- Do T. (2003) HIV testing patterns and unrecognized HIV infection among API MSM. Presented at the Annual CAPS Conference, San Francisco, CA, April.
- Dolcini P, Harper G, Catania J, et al. (2003) Project ORE [project description]. UCSF CAPS. <http://www.caps.ucsf.edu/pdfs/ORE1.pdf>
- Dorfman LE, Derish PA, Cohen JB (1992) Hey girlfriend: An evaluation of AIDS prevention among women in the sex industry. *Health Educ Q* 19(1):25-40.
- Downing M, Knight KR, Vernon KA, et al. (1999) This is my story: A descriptive analysis of a peer education HIV/STD risk reduction program for women living in housing developments. *AIDS Educ Prev* 11(3):243-261.
- Edlin BR, Irwin KL, Faruque S, et al. (1994) Intersecting epidemics--crack cocaine use and HIV infection among inner-city young adults: Multicenter Crack Cocaine and HIV Infection Study Team. *N Engl J Med* 331(21):1422-1427.
- Edlin BR, Lorvick J, Kral AH, et al. (2001) Urban Health Study: Community-Based Research with Injection Drug Users. In *Science to Community, Prevention #10*, a publication of UCSF CAPS and the AIDS Research Institute, San Francisco, CA, March. <http://ari.ucsf.edu/pdf/S2Community/UHS.pdf>
- Eichler MR, Ray SM, del Rio C. (2002) The effectiveness of HIV post-test counselling in determining healthcare-seeking behavior. *AIDS* 16(6):943-945.
- Ekstrand ML, Coates TJ, Guydish JR, et al. (1994) Are bisexually identified men in San Francisco a common vector for spreading HIV infection to women? *Am J Public Health* 84(6):915-919.
- Ekstrand ML, Stall RD, Paul JP, et al. (1999) Gay men report high rates of unprotected anal sex with partners of unknown or discordant HIV status. *AIDS* 13(12):1525-1533.
- Elliott L, Gruer L, Farrow K, et al. (1996) Theatre in AIDS education: A controlled study. *AIDS Care* 8(3):321-340.
- Elwood WN, Greene K, Carter KK. (2003) Gentlemen don't speak: communication norms and condom use in bathhouses. *J Appl Commun Res* 31(4):277-297.
- Elwy AR, Hart GJ, Hawkes S, et al. (2002) Effectiveness of interventions to prevent sexually transmitted infections and human immunodeficiency virus in heterosexual men: A systematic review. *Arch Intern Med* 162(16):1818-1830.
- Elze DE, Auslander W, McMillen C, et al. (2001) Untangling the impact of sexual abuse on HIV risk behaviors among youths in foster care. *AIDS Educ Prev* 13(4):377-389.
- Evans JL, Hahn JA, Page-Shafer K, et al. (2003) Gender differences in sexual and injection risk behavior among active young injection drug users in San Francisco (the UFO Study). *J Urban Health* 80(1):137-146.
- Fisher DS, Ryan R, Esacove AW, et al. (1996) The social marketing of Project ARIES: Overcoming challenges in recruiting gay and bisexual males for HIV prevention counseling. *Journal of Homosexuality* 31(1-2):177-202.
- Fisher JD, Fisher WA. (1992) Changing AIDS-risk behavior. *Psychol Bull* 111(3):455-474.
- Fisher W, Cornman D, Amico R (2002) The Options Project: Physician-delivered intervention for HIV+ patients in clinical care. Presented at the CDC Prevention Conference. <http://ari.ucsf.edu/pdf/Options.ppt>
- Fogarty LA, Heilig CM, Armstrong K, et al. (2001) Long-term effectiveness of a peer-based intervention to promote condom and contraceptive use among HIV-positive and at-risk women. *Public Health Rep* 116(suppl 1):103-119.

- Freedman B, Binson D, Ekstrand M, et al. (under review) Uncovering implicit theories of HIV prevention providers: It takes a community.
- Freire P. (1970) *Pedagogy of the Oppressed*. Seabury Press, New York.
- Galanti GA. (2003) The Hispanic family and male-female relationships: An overview. *J Transcult Nurs* 14(3):180-185.
- Gellert GA, Maxwell RM, Higgins KV, et al. (1995) HIV/AIDS knowledge and high risk sexual practices among southern California Vietnamese. *Genitourin Med* 71(4):216-223.
- Gleghorn A, Clements K, Marx R, et al. (1997) The impact of intensive outreach on HIV prevention activities of homeless, runaway, and street youth in San Francisco: The AIDS Evaluation of Street Outreach Project (AESOP). *AIDS Beh* 1(4):261-271.
- Gleghorn AA, Marx R, Vittinghoff E, et al. (1998) Association between drug use patterns and HIV risks among homeless, runaway, and street youth in northern California. *Drug Alcohol Depend* 51(3):219-227.
- Golden MR. (2002) HIV partner notification: A neglected prevention intervention [editorial]. *Sex Transm Dis* 29(8):472-475.
- Gomez CA. (1995) Culture and sexual behavior. *Focus* 10(4):5-6.
- Gomez CA, Hernandez M, Faigeles B. (1999) Sex in the New World: An empowerment model for HIV prevention in Latina immigrant women. *Health Educ Behav* 26(2):200-212.
- Gomez C, Mandic CG, Martinez A, et al. (2003) Intergenerational HIV Prevention Initiative for Latina Women: "De Madre a Hija: Protegiendo Nuestra Salud" [project description]. UCSF CAPS. <http://www.caps.ucsf.edu/portfolio/>
- Green J, Rachlin K. (2001) Utilization of health care among FTMs in the United States. From the XVII Harry Benjamin International Gender Dysphoria Association Symposium, Galveston, TX. http://www.symposion.com/ijt/hbigda/2001/07_green.htm
- Greensides DR, Berkelman R, Lansky A, et al. (2003) Alternative HIV testing methods among populations at high risk for HIV infection. *Public Health Rep* 118(6):531-539.
- Greenwood GL, White EW, Page-Shafer K, et al. (2001) Correlates of heavy substance use among young gay and bisexual men: The San Francisco Young Men's Health Study. *Drug Alcohol Depend* 61(2):105-112.
- Greenwood, GL, Relf MV, Huang B, et al. (2002) Battering victimization among a probability-based sample of men who have sex with men. *Am J Public Health* 92(12):1964-1969.
- Grinstead O, Zack B, Faigeles B, et al. (1999) Reducing post-release HIV risk among male prison inmates: a peer-led intervention. *Criminal Justice Beh* 26:453-465.
- Grinstead O, Zack B, Faigeles B. (2001) Reducing postrelease risk behavior among HIV seropositive prison inmates: The health promotion program. *AIDS Educ Prev* 13(2):109-119.
- Grossberg PM, Tillotson TS, Roberts CM, et al. (1993) Training opinion leaders to promote safer sex. *J Am Coll Health* 41(6):273-274.
- Guydish JR, Clark G, Garcia D, et al. (1995) Evaluation of needle exchange using street-based survey methods. *J Drug Issues* 25(1):33-41.
- Hagan H, Des Jarlais DC, Purchase D, et al. (1991) The Tacoma syringe exchange. *J Addict Dis* 10:81-88.
- Hahn JA, Page-Shafer K, Lum PJ, et al. (2002) Hepatitis C virus seroconversion among young injection drug users: Relationships and risks. *J Infect Dis* 186(11):1558-1564.
- Halkitis PN, Parsons, JT, Stirratt MJ. (2001) A double epidemic: crystal methamphetamine drug use in relation to HIV transmission among gay men. *J Homosex* 41(2):17-35.
- Halkitis PN, Parsons JT, Wolitski RJ, et al. (2003) Characteristics of HIV antiretroviral treatments, access and adherence in an ethnically diverse sample of men who have sex with men. *AIDS Care* 15(1):89-102.
- Harawa NT, Bingham TA, Cochran SD, et al. (2002) HIV prevalence among foreign- and US-born clients of public STD clinics. *Am J Public Health* 92(12):1958-1963.
- Harder+Company Community Research. (2001) Needs assessment among Latino immigrant MSM and MSM/F [report]. Available from the HIV Prevention Section, San Francisco, CA.
- Harder+Company Community Research. (2004a) HIV risk behaviors and prevention needs of heterosexually identified men who have sex with men [report]. Available from the HIV Prevention Section, San Francisco, CA.
- Harder+Company Community Research. (2004b) HIV risk behaviors and prevention needs of Tenderloin-based, marginally housed MSM and MTF sex workers [report]. Available from the HIV Prevention Section, San Francisco, CA.

- Harder+Company Community Research. (2004c) Systems Capacity Assessment by Neighborhood: Bayview/Hunter's Point [report]. Available from the HIV Prevention Section, San Francisco, CA.
- Harder+Company Community Research. (2004d) Systems Capacity Assessment by Neighborhood: Tenderloin [report]. Available from the HIV Prevention Section, San Francisco, CA.
- Harvey B, Stuart J, Swan T. (2000) Evaluation of a drama-in-education programme to increase AIDS awareness in South African high schools: A randomized community intervention trial. *Int J STD AIDS* 11(2):105-111.
- Hays RB, Paul J, Ekstrand M, et al. (1997) Actual versus perceived HIV status, sexual behaviors and predictors of unprotected sex among young gay and bisexual men who identify as HIV- negative, HIV-positive and untested. *AIDS* 11(12):1495-1502.
- Heimer R, Khoshnood K, Stephens PC, et al. (1996) Evaluating a needle exchange programme: Models for testing HIV-1 risk reduction. *Int J Drug Policy* 7(2). <http://www.drugtext.org/library/articles/96727.htm>
- Heumann KS, Marx R, Lawrence SJ, et al. (2001) Cost-effectiveness of prevention referrals for high-risk HIV-negatives in San Francisco. *AIDS Care* 13(5):637-642.
- Hirsch JS, Higgins J, Bentley ME, et al. (2002) The social constructions of sexuality: Marital infidelity and sexually transmitted disease-HIV risk in a Mexican migrant community. *Am J Public Health* 92(8):1227-1237.
- Hobfoll SE, Bansal A, Schurg R, et al. (2002) The impact of perceived child physical and sexual abuse history on Native American women's psychological well-being and AIDS risk. *J Consult Clin Psychol* 70(1):252-257.
- Holtgrave DR, Pinkerton SD, Jones TS, et al. (1998) Cost and cost-effectiveness of increasing access to sterile syringes and needles as an HIV prevention intervention in the United States. *Acquir Immune Defic Syndr Hum Retrovirol* 18(suppl 1):S133-S138.
- Holtgrave DR, Pinkerton SD, Merson M (2002) Estimating the cost of unmet HIV-prevention needs in the United States. *Am J Prev Med* 23(1):7-12.
- Hooley J. (1996) The Transgender Project [report]. Central Sydney Area Health Service, Sydney.
- Horton M, Freire P. (1990) *We Make the Road by Walking: Conversations on Education and Social Change*. Temple University Press, Philadelphia.
- Hoxworth T, Spencer NE, Peterman TA, et al. (2003) Changes in partnerships and HIV risk behaviors after partner notification. *Sex Transm Dis* 30(1):83-88.
- HPPC. (2001) 2001 San Francisco HIV Prevention Plan. <http://www.dph.sf.ca.us/HIVPrevPlan/page2.htm>
- Hsu LC, Vittinghoff E, Katz MH, et al. (2001) Predictors of use of highly active antiretroviral therapy (HAART) among persons with AIDS in San Francisco, 1996-1999. *J Acquir Immune Defic Syndr* 28(4):345-350.
- Huang P, Hottes T. (2003) DigiTechniCyberNetic HIV prevention: Strategies, approaches, lessons. Presented at the Annual CAPS Conference, San Francisco, CA, April.
- James J. (1998) Community organizing by email: Needle exchange mobilization example. *AIDS Treat News*, Issue 294.
- James JS. (1999) Poppers: more evidence of suppressed immunity. *AIDS Treat News*, Issue 325, p. 8.
- Jemmott J, Jemmott L, Fong J. (1992) Reductions in HIV risk-associated sexual behaviors among black male adolescents: Effects of an AIDS prevention intervention. *Am J Public Health* 84:1918-1922.
- Johnson KM, Alarcon J, Watts DM, et al. (2003) Sexual networks of pregnant women with and without HIV infection. *AIDS* 17(4):605-612.
- Johnson RL, Stanford PD, Douglas W Jr., et al. (2001) High-risk sexual behaviors among adolescents engaged through a street-based peer outreach program - The Adolescent HIV Project. *J Natl Med Assoc* 93(5):170-177.
- Jones DL, Irwin KL, Inciardi J, et al. (1998) The high-risk sexual practices of crack-smoking sex workers recruited from the streets of three American cities: The Multicenter Crack Cocaine and HIV Infection Study Team. *Sex Transm Dis* 25(4):187-193.
- Kahn JG. (1995) Summary of cost-effectiveness analyses of HIV prevention in U.S. [unpublished report].
- Kahn JG, Gurvey J, Pollack LM, et al. (1997) How many HIV infections cross the bisexual bridge? An estimate from the United States. *AIDS* 11(8):1031-1037.
- Kahn JG, Kegeles SM, Hays R, et al. (2001) Cost-effectiveness of the Mpowerment Project, a community-level intervention for young gay men. *J Acquir Immune Defic Syndr* 27(5):482-491.

- Kahn JG, Zhang X, Cross LT, et al. (2002) Access to and use of HIV antiretroviral therapy: Variation by race/ethnicity in two public insurance programs in the U.S. *Public Health Rep* 117(3):252-262; discussion 231-232.
- Kahn JO, Martin JN, Roland ME, et al. (2001) Feasibility of postexposure prophylaxis (PEP) against human immunodeficiency virus infection after sexual or injection drug use exposure: The San Francisco PEP Study. *J Infect Dis* 183(5):707-714.
- Kail BL, Watson DD, Ray S. (1995) Needle-using practices within the sex industry: National AIDS Research Consortium. *Am J Drug Alcohol Abuse* 21(2):241-255.
- Kalichman SC. (1998) Post-exposure prophylaxis for HIV infection in gay and bisexual men: Implications for the future of HIV prevention. *Am J Prev Med* 15(2):120-127.
- Kalichman SC, Belcher L. (1997) AIDS information needs: Conceptual and content analyses of questions asked of AIDS information hotlines. *Health Educ Res* 12(3):279-288.
- Kamb ML, Fishbein M, Douglas JM, et al. (1998) Efficacy of risk-reduction counseling to prevent human immunodeficiency virus and sexually transmitted diseases: a randomized controlled trial: Project RESPECT Study Group. *JAMA* 280(13):1161-1167.
- Katz M, Gerberding J. (1998) The care of persons with recent sexual exposure to HIV. *Ann Intern Med* 128(4):306-312.
- Katz MH, McFarland W, Guillin V, et al. (1998) Continuing high prevalence of HIV and risk behaviors among young men who have sex with men: The Young Men's Survey in the San Francisco Bay Area in 1992 to 1993 and in 1994 to 1995. *J Acquir Immune Defic Syndr Hum Retrovirol* 19(2):178-181.
- Keenan PA, Keenan JM. (2001) Rapid HIV testing in urban outreach: A strategy for improving posttest counseling rates. *AIDS Educ Prev* 13(6):541-550.
- Kegeles SM, Hays RB, Pollack L, et al. (1996) Community mobilization reduces HIV risk among young gay men: A two-community study. Presented at the 11th World AIDS Conference, Vancouver, Canada.
- Kellerman SE, Lehman JS, Lansky A, et al. (2002) HIV testing within at-risk populations in the United States and the reasons for seeking or avoiding HIV testing. *J Acquir Immune Defic Syndr* 31(2):202-210.
- Kellogg TA, McFarland W, Perlman JL, et al. (2001) HIV incidence among repeat HIV testers at a county hospital, San Francisco, California, USA. *J Acquir Immune Defic Syndr* 28(1):59-64.
- Kelly JA, St Lawrence JS, Diaz YE, et al. (1991) HIV risk behavior reduction following intervention with key opinion leaders of population: An experimental analysis. *Am J Public Health* 81(2):168-171.
- Kennedy MG, Mizuno Y, Hoffman R, et al. (2000a) The effect of tailoring a model HIV prevention program for local adolescent target audiences. *AIDS Educ Prev* 12(3):225-238.
- Kennedy MG, Mizuno Y, Seals BF, et al. (2000b) Increasing condom use among adolescents with coalition-based social marketing. *AIDS* 14(12):1809-1818.
- Kim A, McFarland W, Kellogg T, et al. (2001a) Incidence and prevalence of HIV and STD among incarcerated persons upon intake: Implications for prevention and treatment [unpublished data].
- Kim AA, Kent C, McFarland W, et al. (2001b) Cruising on the Internet highway. *J Acquir Immune Defic Syndr* 28(1):89-93.
- Kim AA, Kent CK, Klausner JD. (2002) Increased risk of HIV and sexually transmitted disease transmission among gay or bisexual men who use Viagra, San Francisco 2000-2001. *AIDS* 16(10):1425-1428.
- Kim AA, Kent CK, Klausner JD. (2003) Risk factors for rectal gonococcal infection amidst resurgence in HIV transmission. *Sex Transm Dis* 30(11):813-817.
- Klausner JD, McFarland W, Bolan G, et al. (2001) Knock-knock: A population-based survey of risk behavior, health care access, and Chlamydia trachomatis infection among low-income women in the San Francisco Bay area. *J Infect Dis* 183(7):1087-1092.
- Klitzman RL, Pope HG Jr., Hudson JI. (2000) MDMA ("Ecstasy") abuse and high-risk sexual behaviors among 169 gay and bisexual men. *Am J Psychiatry* 157(7):1162-1164.
- Klitzman RL, Greenberg JD, Pollack LM, et al. (2002) MDMA ('ecstasy') use, and its association with high risk behaviors, mental health, and other factors among gay/bisexual men in New York City. *Drug Alcohol Depend* 66(2):115-125.
- Knapper K. (2003) Online research and Internet based HIV/STD prevention strategies for MSM. Presented at the Annual CAPS Conference, San Francisco, CA, April.

- Koblin BA, Chesney MA, Husnik MJ, et al. (2003) High-risk behaviors among men who have sex with men in 6 US cities: Baseline data from the EXPLORE Study. *Am J Public Health* 93(6):926-932.
- Kotler P, Roberto N, Lee N. (2002) *Social Marketing: Improving the Quality of Life*, 2nd Ed. Sage Publications, Thousand Oaks, CA.
- Kral AH, Molnar BE, Booth RE, et al. (1997) Prevalence of sexual risk behaviour and substance use among runaway and homeless adolescents in San Francisco, Denver and New York City. *Int J STD AIDS* 8(2):109-117.
- Kral AH, Bluthenthal RN, Booth RE, et al. (1998) HIV seroprevalence among street-recruited injection drug and crack cocaine users in 16 US municipalities. *Am J Public Health* 88(1):108-113.
- Kral AH, Lorvick J, Edlin BR. (2000) Sex- and drug-related risk among populations of younger and older injection drug users in adjacent neighborhoods in San Francisco. *J Acquir Immune Defic Syndr* 24(2):162-167.
- Kral AH, Bluthenthal RN, Lorvick J, et al. (2001) Sexual transmission of HIV-1 among injection drug users in San Francisco, USA: Risk-factor analysis. *Lancet* 357(9266):1397-1401.
- Kral AH, Lorvick J, Gee L, et al. (2003) Trends in human immunodeficiency virus seroincidence among street-recruited injection drug users in San Francisco, 1987-1998. *Am J Epidemiol* 157(10):915-922.
- Latkin CA, Sherman S, Knowlton A. (2003) HIV prevention among drug users: Outcome of a network-oriented peer outreach intervention. *Health Psychol* 22(4):332-339.
- Lem H, Sumaraga L, Packer T. (1994) Youth peer education program: An HIV/STD perspective, Presented at the Annual Meeting of the American Public Health Association.
- Lemp GF, Hirozawa AM, Givertz D, et al. (1994) Seroprevalence of HIV and risk behaviors among young homosexual and bisexual men: The San Francisco/Berkeley Young Men's Survey. *JAMA* 272(6):449-454.
- Levy SR, Perhats C, Weeks K, et al. (1995) Impact of a school-based AIDS prevention program on risk and protective behavior for newly sexually active students. *J School Health* 65(4):145-151.
- Lichtenstein B. (2000) Secret encounters: Black men, bisexuality, and AIDS in Alabama. *Med Anthropol Q* 14(3):374-393.
- Lifson AR, Halcon LL, Hannan P, et al. (2001) Screening for sexually transmitted infections among economically disadvantaged youth in a national job training program. *J Adolesc Health* 28(3):190-196.
- Lollis CM, Strothers HS, Chitwood DD, et al. (2000) Sex, drugs, and HIV: Does methadone maintenance reduce drug use and risky sexual behavior? *J Behav Med* 23(6):545-557.
- Lurie P, Gorsky R, Jones TS, et al. (1998) An economic analysis of needle exchange and pharmacy-based programs to increase sterile syringe availability for injection drug users. *J Acquir Immune Defic Syndr Hum Retrovirol* 18(suppl 1):S126-S132.
- Mansergh G, Colfax GN, Marks G, et al. (2001) The Circuit Party Men's Health Survey: Findings and implications for gay and bisexual men. *Am J Public Health* 91(6):953-958.
- Mansergh G, Marks G, Colfax GN, et al. (2002) "Barebacking" in a diverse sample of men who have sex with men. *AIDS* 16(4):653-659.
- Margolin A, Avants SK, Warburton LA, et al. (2003) A randomized clinical trial of a manual-guided risk reduction intervention for HIV-positive injection drug users. *Health Psychol* 22(2):223-228.
- Marin B, Marin G, Juarez et al. (1992) Intervention from family members as a strategy for preventing HIV transmission among intravenous drug users. *J Commun Psychol* 20:90-97.
- Marin BV. (2003) HIV prevention in the Hispanic community: Sex, culture, and empowerment. *J Transcult Nurs* 14(3):186-192.
- Marin MG, Van Lieu J, Yee A, et al. (1999) Cost-effectiveness of a post-exposure HIV chemoprophylaxis program for blood exposures in health care workers. *J Occupational Environ Med* 41(9):754-760.
- Marks G, Crepaz N. (2001) HIV-positive men's sexual practices in the context of self-disclosure of HIV status. *J Acquir Immune Defic Syndr* 27(1):79-85.
- Martin JN, Roland ME, Neilands TB, et al. (in press) Use of post-exposure prophylaxis against HIV infection following sexual exposure does not lead to increases in high-risk behavior. *AIDS*.
- Martinez J, Bell D, Dodds S, et al. (2003) Transitioning youths into care: linking identified HIV-infected youth at outreach sites in the community to hospital-based clinics and or community-based health centers. *J Adolesc Health* 33(2 suppl):23-30.
- Martinez TE, Gleghorn A, Marx R, et al. (1998) Psychosocial histories, social environment, and HIV risk behaviors of injection and noninjection drug using homeless youths. *J Psychoactive Drugs* 30(1):1-10.

Mason T. (1995) Gender identity support services for transgenders [report]. Beacon Hill Multicultural Psychological Association. Prepared for the Massachusetts Department of Public Health HIV/AIDS Bureau.

Mathews C, Coetzee N, Zwarenstein M, et al. (2002) A systematic review of strategies for partner notification for sexually transmitted diseases, including HIV/AIDS. *Int J STD AIDS* 13(5):285-300.

Mattison AM, Ross MW, Wolfson T, et al. (2001) Circuit party attendance, club drug use, and unsafe sex in gay men. *J Subst Abuse* 13(1-2):119-126.

McFarland W. (2003) Current trends in the HIV/AIDS epidemic in San Francisco: Data for priority-setting. Presentation to the HPPC, June 11, 2003.

McFarland W, Chen S, Weide D, et al. (in press) Gay Asian men in San Francisco follow the international trend: Increases in rates of unprotected anal intercourse and sexually transmitted diseases, 1999-2002.

McGowan CK. (2000) Transgender Needs Assessment [report]. The City of New York Department of Health, New York.

Midgley SJ, Heather N, Best D, et al. (2000) Risk behaviours for HIV and hepatitis infection among anabolic- androgenic steroid users. *AIDS Care* 12(2):163-170.

Mitchell CM, Kaufman CE. (2002) Structure of HIV knowledge, attitudes, and behaviors among American Indian young adults. *AIDS Educ Prev* 14(5):401-418.

Mizuno Y, Kennedy M, Weeks-Norton K, et al. (2002) An examination of adolescents who were and were not exposed to "Teens Stopping AIDS": reaching the hard-to-reach. *J Health Commun* 7(3):197-203.

MMWR. (1998) Management of possible sexual, injecting-drug use, or other nonoccupational exposure to HIV, including considerations related to antiretroviral therapy public health service statement. *MMWR Morb Mortal Wkly Rep* 47(RR17):1-14.

MMWR. (2001a) HIV incidence among young men who have sex with men - seven U.S. cities, 1994-2000. *MMWR Morb Mortal Wkly Rep* 50(21):440-444.

MMWR. (2001b) Revised guidelines for HIV counseling, testing, and referral. *MMWR Morb Mortal Wkly Rep* 50(RR19):1-58.

MMWR. (2001c) Updated U.S. Public Health Service guidelines for the management of occupational exposures to HBV, HCV, and HIV and recommendations for postexposure prophylaxis. *MMWR Morb Mortal Wkly Rep* 50(RR11):1-42.

MMWR. (2002) HIV testing among pregnant women - United States and Canada, 1998-2001. *MMWR Morb Mortal Wkly Rep* 51(45):1013-1016.

MMWR. (2003a) Advancing HIV prevention: New strategies for a changing epidemic - United States, 2003. *MMWR Morb Mortal Wkly Rep* 52(15):329-332.

MMWR. (2003b) Incorporating HIV prevention into the medical care of persons living with HIV. *MMWR Morb Mortal Wkly Rep* 52(RR12):1-24.

Montano DE, Kasprzyk D, Taplin SH. (1997) The theory of reasoned action and the theory of planned behavior. In Glanz KE, Lewis M, Rimer B (Eds.): *Health Behavior and Health Education: Theory, Research, and Practice*, pp. 85-112. Jossey-Bass, San Francisco, CA.

Moon MW, Binson D, Page-Shafer K, et al. (2001) Correlates of HIV risk in a random sample of street youths in San Francisco. *J Assoc Nurses AIDS Care* 12(6):18-27.

Morin S. (2002) Missed opportunities for preventing HIV transmission: A study of Ryan White clinics [PowerPoint presentation]. Preliminary results from AIDS Research Institute study. <http://ari.ucsf.edu/pdf/MissedOpportunities.ppt>

Morin S, Vernon K, Harcourt J, et al. (2003) Why HIV infections have increased among men who have sex with men and what to do about it: Findings from California focus groups. *AIDS Beh* 7(4):353-362.

Morrison-Beedy D, Carey MP, Lewis BP, et al. (2001) HIV risk behavior and psychological correlates among native American women: an exploratory investigation. *J Womens Health Gend Based Med* 10(5):487-494.

Moss AR, Vranizan K, Gorter R, et al. (1994) HIV seroconversion in intravenous drug users in San Francisco, 1985-1990. *AIDS* 8(2):223-231.

Mutchler MG, Bingham T, Chion M, et al. (2003) Comparing sexual behavioral patterns between two bathhouses: implications for HIV prevention intervention policy. *J Homosex* 44(3-4):221-242.

Myers HF, Javanbakht M, Martinez M, et al. (2003) Psychosocial predictors of risky sexual behaviors in African American men: implications for prevention. *AIDS Educ Prev* 15(1 suppl A):66-79.

- Myles J, Bamberger J. (2001) Offering HIV prophylaxis following sexual assault: Recommendations for the state of California. The California HIV PEP after Sexual Assault Task Force in conjunction with the California State Office of AIDS, San Francisco, CA.
- Namaste V. (1999) HIV/AIDS and female to male transsexuals and transvestites: Results from a needs assessment in Quebec. *Int J Transgenderism* 3(1+2).
- Nemoto T, Aoki B, Huang K, et al. (1999a) Drug use behaviors among Asian drug users in San Francisco. *Addict Behav* 24(6):823-838.
- Nemoto T, Luke D, Mamo L, et al. (1999b) HIV risk behaviours among male-to-female transgenders in comparison with homosexual or bisexual males and heterosexual females. *AIDS Care* 11(3):297-312.
- Nemoto T, Aoki B, Huang K, et al. (2000) HIV risk behaviors among Asian drug users in San Francisco. *AIDS Educ Prev* 12(2):126-140.
- Nemoto T, Operario D, Soma T. (2002a) Risk behaviors of Filipino methamphetamine users in San Francisco: Implications for prevention and treatment of drug use and HIV. *Public Health Rep* 117(suppl 1):S30-S38.
- Nemoto T, Keatley J, Operario D, et al. (2002b) Psychosocial factors affecting HIV risk behaviors among male-to-female transgenders (MTF TGs) in San Francisco. Presented at the 14th World AIDS Conference, Barcelona, Spain.
- Nemoto T, Operario D, Soma T, et al. (2003a) HIV risk and prevention among Asian/Pacific Islander men who have sex with men: Listen to our stories. *AIDS Educ Prev* 15(1 suppl A):7-20.
- Nemoto T, Operario D, Takenaka M, et al. (2003b) HIV risk among Asian women working at massage parlors in San Francisco. *AIDS Educ Prev* 15(3):245-256.
- NIMH. (2001) A test of factors mediating the relationship between unwanted sexual activity during childhood and risky sexual practices among women enrolled in the NIMH Multisite HIV Prevention Trial. *Women Health* 33(1-2):163-180.
- Nyamathi A, Flaskerud JH, Leake B, et al. (2001) Evaluating the impact of peer, nurse case-managed, and standard HIV risk-reduction programs on psychosocial and health-promoting behavioral outcomes among homeless women. *Res Nurs Health* 24(5):410-422.
- Ochoa KC, Hahn JA, Seal KH, et al. (2001) Overdosing among young injection drug users in San Francisco. *Addict Behav* 26(3):453-460.
- Oldenburg B, Hardcastle D, Kok G. (1997) Diffusion of innovations. In Glanz KF, Lewis M, Rimer B (Eds.): *Health Behavior and Health Education: Theory, Research, and Practice*, pp. 270-286. Jossey-Bass, San Francisco, CA.
- O'Leary A, Purcell D, Remien RH, et al. (2003) Childhood sexual abuse and sexual transmission risk behaviour among HIV- positive men who have sex with men. *AIDS Care* 15(1):17-26.
- Operario D. (2003) Substance use among API MSM. Presented at the Annual CAPS Conference, San Francisco, CA, April.
- Operario D, Hall V. (2003) Exploring the cultural and social context of HIV risk among Filipinos in San Francisco [project description]. UCSF CAPS. <http://www.caps.ucsf.edu/portfolio>
- Organista K, Carillo H, Ayala G. (under review) HIV prevention with Mexican migrants: Review, critique and recommendations.
- Osmond DH, Page K, Wiley J, et al. (1994) HIV infection in homosexual and bisexual men 18 to 29 years of age: The San Francisco Young Men's Health Study. *Am J Public Health* 84(12):1933-1937.
- Parillo KM, Freeman RC, Collier K, et al. (2001) Association between early sexual abuse and adult HIV-risky sexual behaviors among community-recruited women. *Child Abuse Negl* 25(3):335-346.
- Parsons JT, Halkitis PN. (2002) Sexual and drug-using practices of HIV-positive men who frequent public and commercial sex environments. *AIDS Care* 14(6):815-826.
- Paul JP, Stall R, Davis F. (1993) Sexual risk for HIV transmission among gay/bisexual men in substance-abuse treatment. *AIDS Educ Prev* 5(1):11-24.
- Paul JP, Catania J, Pollack L, et al. (2002) Suicide attempts among gay and bisexual men: Lifetime prevalence and antecedents. *Am J Public Health* 92(8):1338-1345.
- Pearlman DN, Camberg L, Wallace LJ, et al. (2002) Tapping youth as agents for change: Evaluation of a peer leadership HIV/AIDS intervention. *J Adolesc Health* 31(1):31-39.
- Pendo M, Marx R, Clements-Nolle K, et al. (2003) The Party & Play Study: HIV Risk in a Late-Night Population of MSM [report]. Available from the HIV Prevention Section, San Francisco, CA.
- Perkins R, Griffin A, Jakobsen J. (1994) Lifestyles and HIV/AIDS risk: National transgender HIV/AIDS needs assessment project [report]. School of Sociology, University of New South Wales, New South Wales, Australia.

- Pinkerton S, Johnson-Masotti A, Holtgrave D, et al. (2001) Using cost-effectiveness league tables to compare interventions to prevent sexual transmission of HIV. *AIDS* 15(7):917-928.
- Pinkerton S, Holtgrave D, Johnson-Masotti A, et al. (2002) Cost-effectiveness of the NIMH Multisite HIV Prevention intervention. *AIDS Beh* 6:83-96.
- Prochaska JO, Redding CA Evers KE (1997) The transtheoretical model and stages of change. In Glanz KE, Lewis M, Rimer B (Eds.): *Health Behavior and Health Education: Theory, Research, and Practice*, pp. 60-84. Jossey-Bass, San Francisco, CA.
- Purcell D, DeGross AS, Wolitski R. (1998) HIV prevention case management: Current practice and future directions. *Health Soc Work* 23(4):282-289.
- Ramirez JR, Crano WD, Quist R, et al. (2002) Effects of fatalism and family communication on HIV/AIDS awareness variations in Native American and Anglo parents and children. *AIDS Educ Prev* 14(1):29-40.
- Rebchook G, Curotto A Kegeles SM. (2003) A qualitative study of MSM who use Internet chat rooms. Presented at the 2003 Annual CAPD Conference.
- Reece M. (2003) Sexual compulsivity and HIV serostatus disclosure among men who have sex with men. *Sex Addict Compulsivity* 10(1):1-11.
- Renzi C, Douglas JM Jr., Foster M, et al. (2003) Herpes simplex virus type 2 infection as a risk factor for human immunodeficiency virus acquisition in men who have sex with men. *J Infect Dis* 187(1):19-25.
- Reynolds GL, Fisher DG, Estrada AL, et al. (2000) Unemployment, drug use, and HIV risk among American Indian and Alaska Native drug users. *Am Indian Alsk Native Ment Health Res* 9(1):17-32.
- Rhodes F, Deren S, Wood MM, et al. (1999) Understanding HIV risks of chronic drug-using men who have sex with men. *AIDS Care* 11(6):629-648.
- Rich JD, Dickinson BP, Feller A, et al. (1999) The infectious complications of anabolic-androgenic steroid injection. *Int J Sports Med* 20(8):563-566.
- Riess TH, Kim C, Downing M. (2001) Motives for HIV testing among drug users: An analysis of gender differences. *AIDS Educ Prev* 13(6):509-523.
- Rietmeijer CA, Wolitski RJ, Fishbein M, et al. (1998) Sex hustling, injection drug use, and non-gay identification by men who have sex with men: Associations with high-risk sexual behaviors and condom use. *Sex Transm Dis* 25(7):353-360.
- Rietmeijer CA, Bull SS, McFarlane M, et al. (2003) Risks and benefits of the internet for populations at risk for sexually transmitted infections (STIs): Results of an STI clinic survey. *Sex Transm Dis* 30(1):15-19.
- Riley ED, Perry S, Bangsberg D, et al. (2002) Characteristics of HIV-infected homeless individuals who do not receive HAART. Presented at the 14th World AIDS Conference, Barcelona, Spain. ari.ucsf.edu/pdf/Posters/barcelona/riley1.pdf
- Roffman RA, Stephen RS, Curtin L, et al. (1998) Relapse prevention as an interventional model for HIV risk reduction in gay and bisexual men. *AIDS Educ Prev* 10(1):1-18.
- Roland M. Prophylaxis Following Nonoccupational Exposure to HIV. In: Peiperl L, Volberding PA (Eds.): *HIV InSite Knowledge Base* [textbook on-line], Revised 2003. Available at <http://hivinsite.ucsf.edu/InSite.jsp?doc=kb-07-02-07>
- Romanelli F, Smith KM, Pomeroy C. (2003) Use of club drugs by HIV-seropositive and HIV-seronegative gay and bisexual men. *Top HIV Med* 11(1):25-32.
- Rose V, Scheer S, Balls J, et al. (2002) Investigation of the high HIV prevalence in the African American transgender community in San Francisco. Presented at the 14th World AIDS Conference, Barcelona, Spain.
- Rotheram-Borus MJ, Koopman C, Haignere C, et al. (1991) Reducing HIV sexual risk behaviors among runaway adolescents. *JAMA* 266(9):1237-1241.
- Rotheram-Borus MJ, Marelich WD, Srinivasan S. (1999) HIV risk among homosexual, bisexual, and heterosexual male and female youths. *Arch Sex Behav* 28(2):159-177.
- Rotheram-Borus MJ, Lee MB, Murphy DA, et al. (2001) Efficacy of a preventive intervention for youths living with HIV. *Am J Public Health* 91(3):400-405.
- Ruiz J. (2002) HIV prevalence, risk behaviors and access to care among young Latino MSM in San Diego, California, and Tijuana, Mexico. Presented at the Binational Conference on HIV/AIDS, Oakland, CA.
- San Francisco AIDS Foundation. (1997) 3,400 HIV/AIDS homeless means S.F. must act now. *OUTreach* newsletter, July. http://www.sfaf.org/aboutsfaf/outreach/index.html?july97/pw_homeless.html~frontpage

- Scheer S, Peterson I, Page-Shafer K, et al. (2002) Sexual and drug use behavior among women who have sex with both women and men: results of a population-based survey. *Am J Public Health* 92(7):1110-1112.
- Scheer S, Parks C, McFarland W, et al. (2003) Self-reported sexual identity, sexual behaviors, and health risks: Examples from a population-based survey of young women. *J Lesbian Studies* 7(1):69-83.
- Schwarcz SK, Kellogg TA, McFarland W, et al. (2002) Characterization of sexually transmitted disease clinic patients with recent human immunodeficiency virus infection. *J Infect Dis* 186(7):1019-1022.
- Sebesta D. (2003) Comparative outcome evaluation of HIV prevention interventions: Prevention case management/multiple session workshops [report]. Available from the HIV Prevention Section, San Francisco, CA.
- SFDPH. (1997) Data from the TREAT study. In: HIV Consensus Meeting Report.
- SFDPH. (1998a) Men of Color Needs Assessment [report]. Available from the HIV Prevention Section, San Francisco, CA.
- SFDPH. (1998b) 1998 Annual AIDS Surveillance Report. <http://www.dph.sf.ca.us/PHP/RptsHIVAIDS/survrpt.pdf>
- SFDPH. (2001a) HIV Consensus Meeting Report, San Francisco. Available from the HIV Prevention Section, San Francisco, CA.
- SFDPH. (2001b) 2001 HIV/AIDS Epidemiology Annual Report. <http://www.dph.sf.ca.us/Reports/STD/HIVAIDSAnnRpt2001.pdf>
- SFDPH. (2002a) 2002 HIV/AIDS Epidemiology Annual Report. <http://www.dph.sf.ca.us/Reports/STD/HIVAIDSAnnRpt2001.pdf>
- SFDPH. (2002b) San Francisco Sexually Transmitted Disease Annual Summary, 2002. <http://www.dph.sf.ca.us/Reports/STD/SFSTDAnnSum2002.pdf>
- Shafer KP, Hahn JA, Lum PJ, et al. (2002) Prevalence and correlates of HIV infection among young injection drug users in San Francisco. *J Acquir Immune Defic Syndr* 31(4):422-431.
- Shafer MA, Boyer CB. (1991) Psychosocial and behavioral factors associated with risk of sexually transmitted diseases, including human immunodeficiency virus infection, among urban high school students. *J Pediatr* 119(5):826-833.
- Shoop LG. (1993) Health based exclusion grounds in United States immigration policy: Homosexuals, HIV infection and the medical examination of aliens. *J Contemp Health Law Policy* 9:521-544.
- Shoptaw S, Reback CJ, Freese TE. (2002) Patient characteristics, HIV serostatus, and risk behaviors among gay and bisexual males seeking treatment for methamphetamine abuse and dependence in Los Angeles. *J Addict Dis* 21(1):91-105.
- Shriver MD, Everett C, Morin SE (2000) Structural interventions to encourage primary HIV prevention among people living with HIV. *AIDS* 41(suppl 1):S57-S62.
- Sikkema KJ, Kelly JA, Winett RA, et al. (2000) Outcomes of a randomized community-level HIV prevention intervention for women living in 18 low-income housing developments. *Am J Public Health* 90(1):57-63.
- Skinner D, Metcalf CA, Seager JR, et al. (1991) An evaluation of an education programme on HIV infection using puppetry and street theatre. *AIDS Care* 3(3):317-329.
- Sneed CD, Morisky DE, Rotheram-Borus MJ, et al. (2001) 'Don't know' and 'didn't think of it': Condom use at first intercourse by Latino adolescents. *AIDS Care* 13(3):303-308.
- Snyder RE, Cunningham W, Nakazono TT, et al. (2000) Access to medical care reported by Asians and Pacific Islanders in a West Coast physician group association. *Med Care Res Rev* 57(2):196-215.
- Spielberg F, Branson BM, Goldbaum GM, et al. (2003) Overcoming barriers to HIV testing: Preferences for new strategies among clients of a needle exchange, a sexually transmitted disease clinic, and sex venues for men who have sex with men. *J Acquir Immune Defic Syndr* 32(3):318-327.
- St. Lawrence JS, Brasfield TL. (1995) HIV risk behavior among homeless adults. *AIDS Educ Prev* 7(1):22-31.
- St. Lawrence JS, Eldridge GE, Shelby MC, et al. (1997) HIV risk reduction for incarcerated women: A comparison of brief interventions based on two theoretical models. *J Consulting Clin Psychol* 65(3):504-509.
- Stall R, Paul JP, Greenwood G, et al. (2001) Alcohol use, drug use and alcohol-related problems among men who have sex with men: the Urban Men's Health Study. *Addiction* 96(11):1589-1601.
- Stall R, Williamson J, Mills T, et al. (2002) Co-occurring psychosocial health problems among urban American men who have sex with men (MSM) are interacting to increase vulnerability to HIV transmission. Presented at the 14th World AIDS Conference, Barcelona, Spain.

- Stevens PE. (1994) HIV prevention education for lesbians and bisexual women: A cultural analysis of a community intervention. *Soc Sci Med* 39(11):1565-1578.
- Stevens PE, Hall JM. (2001) Sexuality and safer sex: the issues for lesbians and bisexual women. *J Obstet Gynecol Neonatal Nurs* 30(4):439-447.
- Stevens SJ, Estrada AL, Estrada BD. (2000) HIV drug and sex risk behaviors among American Indian and Alaska Native drug users: Gender and site differences. *Am Indian Alsk Native Ment Health Res* 9(1):33-46.
- Strauss SM, Des Jarlais DC, Astone J, et al. (2003) On-site HIV testing in residential drug treatment units: results of a nationwide survey. *Public Health Rep* 118(1):37-43.
- Strecher VJ, Rosenstock IM. (1997) The health belief model. In Glanz KE, Lewis M, Rimer B (Eds.): *Health Behavior and Health Education: Theory, Research, and Practice*, pp. 41-59. Jossey-Bass, San Francisco, CA.
- Swanson J, Cooper A. (2002) Dangerous liaison: Club drug use and HIV/AIDS. *IAPAC Monthly* 8(12), a publication of the International Association of Physicians in AIDS Care. <http://www.aegis.com/pubs/iapac/2002/LA021202.html>
- Thoroughman DA, Frederickson D, Cameron HD, et al. (2002) Racial misclassification of American Indians in Oklahoma State surveillance data for sexually transmitted diseases. *Am J Epidemiol* 155(12):1137-1141.
- Tinsman PD, Bullman S, Chen X, et al. (2001) Factors affecting client response to HIV outreach efforts. *J Subst Abuse* 13(1-2):201-214.
- Turner KR, McFarland W, Kellogg TA, et al. (2003) Incidence and prevalence of herpes simplex virus type 2 infection in persons seeking repeat HIV counseling and testing. *Sex Transm Dis* 30(4):331-334.
- UC Berkeley School of Public Health Institute for Health Policy Studies, UC San Francisco. (undated report) The Public Health Impact of Needle Exchange Programs in the United States and Abroad: Summary, Conclusions and Recommendations. Prepared for CDC. <http://www.caps.ucsf.edu/publications/needlereport.html>
- Valdiserri RO, Lyter DW, Leviton LC, et al. (1989) AIDS prevention in homosexual and bisexual men: Results of a randomized trial evaluating two risk reduction interventions. *AIDS* 3(1):21-26.
- Valdiserri RO, West GR, Moore M, et al. (1992) Structuring HIV prevention service delivery on the basis of social science theory. *J Commun Health* 17(5):259-269.
- Valente TW, Bharath U. (1999) An evaluation of the use of drama to communicate HIV/AIDS information. *AIDS Educ Prev* 11(3):203-211.
- Valleroy LA, MacKellar DA, Karon JM, et al. (2000) HIV prevalence and associated risks in young men who have sex with men: Young Men's Survey Study Group. *JAMA* 284(2):198-204.
- van der Straten A, Gomez CA, Saul J, et al. (2000) Sexual risk behaviors among heterosexual HIV serodiscordant couples in the era of post-exposure prevention and viral suppressive therapy. *AIDS* 14(4):F47-F54.
- Varghese B, Peterman TA, Holtgrave DR. (1999) Cost-effectiveness of counseling and testing and partner notification: A decision analysis. *AIDS* 13(13):1745-1751.
- Vernon IS, Jumper-Thurman P. (2002) Prevention of HIV/AIDS in Native American communities: Promising interventions. *Public Health Rep* 117(suppl 1):S96-S103.
- Vittinghoff E, Hessel NA, Bacchetti P, et al. (2001) Cofactors for HIV disease progression in a cohort of homosexual and bisexual men. *J Acquir Immune Defic Syndr* 27(3):308-314.
- Vlahov D, Junge B. (1998) The role of needle exchange programs in HIV prevention. *Pub Health Rep* 113(suppl 1):75-80.
- Waldo CR, McFarland W, Katz MH, et al. (2000) Very young gay and bisexual men are at risk for HIV infection: The San Francisco Bay Area Young Men's Survey II. *J Acquir Immune Defic Syndr* 24(2):168-174.
- Walters KL, Simoni JM, Harris C. (2000) Patterns and predictors of HIV risk among urban American Indians. *Am Indian Alsk Native Ment Health Res* 9(2):1-21.
- Walters KL, Simoni JM, Evans-Campbell T. (2002) Substance use among American Indians and Alaska natives: Incorporating culture in an "indigenist" stress-coping paradigm. *Public Health Rep* 117(suppl 1):S104-S117.
- Watters JK, Downing M, Case P, et al. (1990) AIDS prevention for intravenous drug users in the community: Street-based education and risk behavior. *Am J Commun Psychol* 18(4):587-596.

- Watters JK, Estilo MJ, Kral AH, et al. (1994a) HIV infection among female injection drug users recruited in community settings. *Sex Transm Dis* 21(6):321-328.
- Watters JK, Estilo MJ, Clark GL, et al. (1994b) Syringe and needle-exchange as HIV/AIDS prevention for injection drug users. *JAMA* 271(2):115-120.
- Weibel W, Jimenez A, Johnson W, et al. (1993) Positive effect on HIV seroconversion of street outreach interventions with IDUs in Chicago (abstract) Presented at the 14th World AIDS Conference, Berlin, Germany.
- Weinberg MS, Shaver FM, Williams CJ. (1999) Gendered sex work in the San Francisco Tenderloin. *Arch Sex Behav* 28(6):503-521.
- Weinstock H, Dale M, Gwinn M, et al. (2002) HIV seroincidence among patients at clinics for sexually transmitted diseases in nine cities in the United States. *J Acquir Immune Defic Syndr* 29(5):478-483.
- Wendell DA, Cohen DA, LeSage D, et al. (2003) Street outreach for HIV prevention: Effectiveness of a state-wide programme. *Int J STD AIDS* 14(5):334-340.
- Wilson AR, Kahn JG. (2003) Preventing HIV in injection drug users: Choosing the best mix of interventions for the population. *J Urban Health* 80(3):465-481.
- Wilson IB, Kaplan S. (2000) Physician-patient communication in HIV disease: the importance of patient, physician, and visit characteristics. *J Acquir Immune Defic Syndr* 25(5):417-425.
- Wingood GM, DiClemente RJ. (1997) The effects of an abusive primary partner on the condom use and sexual negotiation practices of African-American women. *Am J Public Health* 87(6):1016-1018.
- Wohl AR, Johnson D, Jordan W, et al. (2000) High-risk behaviors during incarceration in African-American men treated for HIV at three Los Angeles public medical centers. *J Acquir Immune Defic Syndr* 24(4):386-392.
- Wohl AR, Johnson DF, Lu S, et al. (2002) HIV risk behaviors among African American men in Los Angeles County who self-identify as heterosexual. *J Acquir Immune Defic Syndr* 31(3):354-360.
- Wohlfeiler D. (1997) Community organization and community building among gay and bisexual men. In Minkler M. (Ed.): *Community Organizing and Community Building for Health*, pp. 230-243. Rutgers University Press, New Brunswick.
- Wold C, Seage GR 3rd, Lenderking WR, et al. (1998) Unsafe sex in men who have sex with both men and women. *J Acquir Immune Defic Syndr Hum Retrovirol* 17(4):361-367.
- Wong W, Tambis JA, Hernandez MT, et al. (2003) Prevalence of sexually transmitted diseases among Latino immigrant day laborers in an urban setting-San Francisco. *Sex Transm Dis* 30(8):661-663.
- Woods WJ, Lindan CP, Hudes ES, et al. (2000) HIV infection and risk behaviors in two cross-sectional surveys of heterosexuals in alcoholism treatment. *J Stud Alcohol* 61(2):262-266.
- Woody GE, Donnell D, Seage GR, et al. (1999) Non-injection substance use correlates with risky sex among men having sex with men: data from HIVNET. *Drug Alcohol Depend* 53:197-205.
- Woody GE, VanEtten-Lee ML, McKirnan D, et al. (2001) Substance use among men who have sex with men: Comparison with a national household survey. *J Acquir Immune Defic Syndr* 27(1):86-90.
- Yi JK. (1998) Vietnamese American college students' knowledge and attitudes toward HIV/AIDS. *J Am Coll Health* 47(1):37-42.
- Young H. (1995) Integrating HIV/AIDS into First Nations health services. *AIDS STD Health Promot Exch* 4:3.
- Zack B, Bancroft C, Blea L, et al. (2001) Collaborative research to prevent HIV among male prison inmates and their female partners. In *Science to Community, Prevention #7*, a publication of UCSF CAPS and the AIDS Research Institute, San Francisco, CA, March. <http://ari.ucsf.edu/pdf/S2Community/prison.pdf>
- Zimmerman MA, Ramirez-Valles J, Suarez E, et al. (1997) An HIV/AIDS prevention project for Mexican homosexual men: An empowerment approach. *Health Educ Beh* 24(2):177-190.
- Zolopa AR, Hahn JA, Gorter R, et al. (1994) HIV and tuberculosis infection in San Francisco's homeless adults: Prevalence and risk factors in a representative sample. *JAMA* 272(6):455-461.